

EB-1485Fi



Agile working through content sharing and flexible connectivity with this Full HD laser display solution.

Transform your workplace with this large, scalable display that enriches collaboration and engagement, and promotes greater knowledge sharing with colleagues, clients or delegates using the latest and most versatile connectivity options. The EB-1485Fi has been designed to be easy to use, enriching collaborative and agile working environments.

Flexible display options and sizes

Deliver impactful sessions with a multi-touch display of up to 100 inches (16:9 standalone), 120 inches (16:6 standalone), or 155 inches using Epson's DuoLink feature, which combines two interactive display using built-in Edge Blending.

Promotes collaboration and connectivity

The intuitive and easy-to-use UI, new touch home screen and new interactive OSD menu make it simple to set up and navigate across functions. Featuring multi-touch pen and finger capabilities, wireless BYOD connectivity and screen mirroring (Miracast). It also has secure user collaboration tools and an array of powerful connectivity options, both wireless and wired, including HDBaseT and HDMI out. The Epson iProjection App is available to download for free, providing seamless wireless connectivity and collaboration control from multiple devices and platforms. It's compatible with Windows, Office 365 suite and iOS, allowing the use of Office applications via PCs and tablets.

Sliding split screen

Combine up to four sources, such as video conference systems from multiple video sources and presentations, to optimise meeting interactions.

Fit and forget technology

Once installed, use for up to 20,000 hours without any maintenance, with the additional peace of mind of a five-year warranty. Helping to reduce running costs, and meaning you can 'fit and forget' and continue with the job in hand.

DATASHEET / BROCHURE



KEY FEATURES

- **Flexible display options and sizes**
Cater for user needs in any working environment
- **All-in-one interactive meeting display**
Combines multiple resources in one interactive collaboration device
- **Increase productivity & agile working**
Share and display content from a range of devices simultaneously
- **Sliding split screen**
Up to four displays in one image - project images from different sources
- **Easy installation**
Quick set-up with auto-adjusting calibration function



EPSON
WORLD LEADER
IN PROJECTORS

Source: Futuresource Consulting Ltd.

EPSON[®]
EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

TECHNOLOGY

Projection System	3LCD Technology
LCD Panel	0.62 inch with C2 Fine

IMAGE

Colour Light Output	5,000 lumen- 3,500 lumen (economy)
White Light Output	5,000 lumen - 3,500 lumen (economy)
High Definition	Full HD
Aspect Ratio	16:9
Contrast Ratio	Over 2,500,000 : 1
Light source	Laser
Lamp	20,000 h durability, 30,000 h durability (economy mode)
Laser Light source	30,000 Hours Durability Eco
Keystone Correction	Manual vertical: $\pm 3^\circ$, Manual horizontal $\pm 3^\circ$
Colour Processing	10 Bits
2D Vertical Refresh Rate	192 Hz - 240 Hz
Colour Reproduction	upto 1.07 billion colours

OPTICAL

Projection Ratio	0.27 - 0.37:1
Zoom	Digital, Factor: 1 - 1.35
Lens	Optical
Image Size	65 inches - 100 inches
Projection Distance Wide	0.4 m (65 inch screen)
Projection Distance Tele	0.6 m (100 inch screen)
Projection Distance Wide/Tele	0.81 m (120 inch screen)
Projection Lens F Number	1.5
Focal Distance	3.9 mm
Focus	Manual
Offset	8.68 : 1

CONNECTIVITY

Interfaces	USB 2.0 Type A (2x), Powered USB, RS-232C, Ethernet interface (100 Base-TX / 10 Base-T), Wireless LAN IEEE 802.11a/b/g/n/ac (WiFi 5), Wi-Fi Direct, VGA in (2x), VGA out, HDMI in (3x), HDMI out, Component in, HDBaseT, Miracast, Stereo mini jack audio out, Stereo mini jack audio in (3x), Microphone input, Finger-touch interface, Multi-Touch interface, USB 2.0 Type B (2x), Sync. in, Sync. out
Epson iProjection App	Ad-Hoc / Infrastructure
Network Protocol	HTTPS, IPv4, IPv6, SNMP, ESC/VP.net, PJLink

ADVANCED FEATURES

Security	Kensington lock, Control panel lock, Password lock, Padlock, Wireless LAN security, Password protection
2D Colour Modes	Dynamic, Cinema, Presentation, sRGB, Blackboard, DICOM SIM
Features	Arc Correction, Auto calibration, Auto Power On, Built-in speaker, CEC compatible, Customizable user logo, Daisy chain Multi-Projection, Digital zoom, Direct Power on/off, Document Camera Compatible, Driverless installation, Dual Pen Support, Duolink Interactivity, Easy OSD pre-setting, Edge Blending, Email notification, Finger-touch support, Screen Fit, Freeze image, Image Shift, Instant on/off, Interactive, Interactive Home screen, Interactive OSD menu, Mail notification function, Microphone input, Multi-screen interactivity, Network administration, OSD copy function, PC Interactive, PC free annotation, iProjection App for Chromebook, Quick Corner, Schedule Function, Screen Mirroring, Screen share, Set-up wizard, Sliding split-screen feature, Split-Screen-Function, Super resolution, Web Control, Web Remote, Wireless LAN capable, iProjection App, iProjection set-up by QR code
Interactivity	Yes - pen and finger-touch
Video Colour Modes	Blackboard, Cinema, Dynamic, Presentation, sRGB, DICOM SIM, Multi Projection
Projector control	via: AMX, Crestron (Network), Extron, Crestron (RS-232c only), Crestron Integrated Partner, Crestron RoomView, Extron IP Link, Extron XTP, AMX Device Discovery, Control4 Simple Device Discovery Protocol

EB-1485Fi

WHAT'S IN THE BOX

- CD Manual
- Interactive pens
- Power cable
- Remote control incl. batteries
- Replacement pen tips
- USB cable
- Pen Holder/Stand
- Wall mounting bracket
- Finger touch unit
- Cable cover
- 2 x Pen tip(Teflon)
- Magnetic attachment
- Lens cap
- 4 x Pen tip(Felt)



EPSON
WORLD LEADER
IN PROJECTORS
 Source: Futuresource Consulting Ltd.

EPSON[®]
 EXCEED YOUR VISION

PRODUCT SPECIFICATIONS

EB-1485Fi

GENERAL

Energy Use	366 W, 262 W (economy), 0.5 W (standby)
Heat Dissipation	1,244 BTU/hour (max)
Supply Voltage	AC 220 V - 240 V, 50 Hz - 60 Hz
Product dimensions	458 x 210 x 375 mm (Width x Depth x Height)
Product weight	9.7 kg
Noise Level	Normal: 36 dB (A) - Economy: 36 dB (A) - Eco2: 27 dB (A)
Temperature	Storage -10° C - 60° C
Included Software	Easy Interactive Tools, Epson Projector Management Software
Options	Connection and control box, External Speaker, Pen tip(Felt), Pen tip(Teflon)
Compatible Operating Systems	Linux, Mac OS 10.10.x, Mac OS 10.7.x, Mac OS 10.8.x, Mac OS 10.9.x, Ubuntu 14.10, Ubuntu 15.04
Loudspeaker	16 W, Stereo: Stereo
Room Type / Application	Boardroom, Collaboration space / Classroom
Positioning	Table Mounted, Wall Mounted
Colour	White

OTHER

Warranty	60 months Carry in or 12,000 h
----------	--------------------------------

OPTIONAL ACCESSORIES

- Wall Mount - ELPMB62 - EB-1480Fi / EB-8xx V12HA06A06
- ELPFT01 - Finger Touch Unit V12H007A24
- Replacement Soft Pen Tip - ELPPS04 (12pcs) V12H776010
- Replacement Hard Pen Tip - ELPPS03 (6pcs) V12H775010
- Interactive Pen - ELPPN05B - Blue - EB-6xxWi/Ui / 14xxUi V12H774010
- Interactive Pen - ELPPN05A - Orange - EB-6xxWi/Ui / 14xxUi V12H773010
- Active Speakers (2 x 15W) - ELPSP02 V12H467040DA
- Dual Function Wireless Adapter (5Ghz Wireless & Miracast) -ELPAP11 V12H005A01
- ELPMB63 - Finger Touch Wall Bracket for ELPFT01 V12HA05A09

LOGISTICS INFORMATION

SKU	V11H919041
EAN code	8715946673752
Country of Origin	China



For more information please contact:

Home users: 0343 90 37766
Business users*: 0871 42 37766
Republic of Ireland: 01 436 7742
Or visit us at <https://www.epson.co.uk/contactus>
* 10p per minute plus network extras.

Web: www.epson.co.uk
www.epson.ie

Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners.
Product information is subject to change without prior notice.
Last extracted: 2019-10-08

EPSON[®]